

# polly wood

## Chair



### About Polly Wood

Polly Wood is a direct reference to the honest materials used to create this product. Standing proud on a solid oak or walnut base, Polly Wood offers a very comfortable sit and an aesthetically pleasing shape, allowing it to blend effortlessly into any environment.

### Compliance

- SCS Indoor Advantage™ Gold Certificate
- naughtone is FSC® certified
- naughtone is FISP and ISO14001 certified
- Our chairs are designed to meet or exceed all EN performance requirements per BS EN 16139:2013

### Sizes

All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch



**POLLYCHBWD**  
Polly Wood Chair  
mm  
W545 D 485 H805 Seat 450  
inch  
W21.5 D 19 H 32 Seat 17.5



**POLLYACHBWD**  
Polly Wood Armchair  
mm  
W545 D 485 H805 Seat 450  
inch  
W21.5 D 19 H 32 Seat 17.5



**POLLYCHSWD**  
Polly Wood Counter Height Stool  
mm  
W565 D 510 H1010 Seat 660  
inch  
W22.5 D 20 H 40 Seat 26



**POLLYBSWD**  
Polly Wood Barstool  
mm  
W575 D 555 H1085 Seat 750  
inch  
W22.5 D 22 H 42.5 Seat 29.5

### Base Finishes



Solid Oak Base



Solid Walnut Base

### Other Options



Seatpad

### Seat Shell Colours 2019



Lemon Yellow  
RAL 1012

Salmon Pink  
RAL 3022

Pastel Blue  
RAL 5024

Pale Green  
RAL 6021

Oyster  
RAL 1013



Black Grey  
RAL 7021



Stone Grey  
RAL 7030



Signal White  
RAL 9003















# Polly Wood Chair Technical Specifications

## Testing

Our chairs are designed to meet or exceed all EN performance requirements per **EN16139:2013**, which includes the following tests:

- Seat and back static load test
- Seat front edge static load test
- Vertical static load on back
- Foot rest and leg rest static load test
- Arm sideways static load test
- Arm downwards static load test
- Vertical upwards static load on arm rests
- Seat and back durability test
- Seat front edge durability test
- Leg forward static load test
- Leg sideways static load test
- Seat impact test
- Back impact test
- Arm impact test

## Structural Testing Certifications

**POLLYCHWD**  
Polly wood chair  
**BS EN 15372:2008, Level 2**  
Static load 200kg

**POLLYACHWD**  
Polly wood arm chair  
**BS EN 15372:2008, Level 1**  
Static load 160kg

**POLLYBSWD**  
Polly wood barstool  
**BS EN 15372:2008, Level 1**  
Static load 160kg



## Servicing


If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.



## Warranty


naughtone offers a **7 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)

# Polly Wood Chair Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Width	B Depth	C Height	D Seat Height	E Seat Width	F Arm Height	G Weight
<b>1 POLLYCHWD</b> Polly Wood Chair	545 mm 21.5 in	485 mm 19 in	805 mm 32 in	450 mm 17.5 in	425 mm 17 in		9 kg 19.8 lbs
<b>2 POLLYARMCHWD</b> Polly Wood Arm Chair	545 mm 21.5 in	485 mm 19 in	805 mm 32 in	450 mm 17.5 in	425 mm 17 in	175 mm 7 in	10.1 kg 22.7 lbs
<b>3 POLLYCHSWD</b> Polly Wood Counter Height Stool	565 mm 22.5 in	510 mm 20 in	1010 mm 40 in	660 mm 26 in	425 mm 17 in		9.8 kg 21.6 lbs
<b>4 POLLYBSWD</b> Polly Wood Bar Stool	575 mm 22.5 in	555 mm 22 in	1085 mm 42.5 in	750 mm 29.5 in	425 mm 17 in		10.3 kg 22.7 lbs

## Measuring Guide



# Polly Wood Chair Environmental Product Summary



## Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®** certified
- **9kg** total weight
- **48.1% Recyclable** (shell, feet and fixings)
- **54.1% Reusable** (base)
- **8.5% Recycled Content** (shell and fixings)
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.6.3)

These attributes can help you to achieve criteria towards **LEED, BREEAM, Ska** and **WELL** building certifications




# Polly Wood Chair Environmental Product Summary

## Material Percentage Split

- **54.93%** Solid Oak
- **0.10%** PTFE
- **32.04%** Polypropylene
- **12.56%** Mild Steel
- **0.38%** Mild Steel Zinc Plated



## Recyclable Content



## Product Specific Design Statement

Polly Wood is available in a range of finishes but for the purpose of this document we have a specific example from the range:

### Polly Wood Chair

Polly Wood chair shell is injection moulded in 30% glass fibre filled polypropylene which is a recyclable material.

The base is made from CNC cut, high quality, solid oak or walnut.

Steel inserts (for affixing bases) are screwed into 4 bosses on the underside of the chair; these can be easily removed disassemble and leave an uncontaminated component for recycling.

Polypropylene feet are screwed in to the bottom of the chair legs and are easily removed for recycling.

## CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC®** certified upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



naughtone offers PEFC certified products





### 1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

### 2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

### 3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

### 4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

### 5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

### 6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

#### UK Showroom

6 Bakers Yard  
Clerkenwell  
London EC1R3DD  
T: +44 (0)20 389 22 788

#### US Showroom

Suite 10-110  
222 Merchandise Mart Plaza  
Floor 10  
Chicago IL 60654

#### naughtone HQ

Knaresborough Tech Park  
Manse Lane  
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500  
E: sales@naughtone.com

[www.naughtone.com](http://www.naughtone.com)